L Number	Hits	Search Text	DB	Time stamp
2	2953	socket\$1 and (packet\$1 datagram)	USPAT;	2003/12/10
2	2,500	Socketwi and (packetwi datagram)	IBM_TDB	12:21
3	1669	(socket\$1 and (packet\$1 datagram)) and	USPAT;	2003/12/10
	1009	channel\$1	IBM_TDB	11:01
4	4227	(decrypt\$3 decod\$3 decipher\$4) NEAR4 (packet\$1	USPAT;	2003/12/10
7	7221	datagram)	IBM_TDB	11:02
_	143	((decrypt\$3 decod\$3 decipher\$4) NEAR4 (packet\$1	USPAT;	2003/12/10
5	143	datagram)) and ((socket\$1 and (packet\$1	IBM_TDB	09:59
		datagram)) and channel\$1)	IDM_IDD	05.05
	123	(((decrypt\$3 decod\$3 decipher\$4) NEAR4	USPAT;	2003/12/10
6	123	((decrypts decods decipilets) NEAR4 (packet\$1 datagram)) and ((socket\$1 and	IBM_TDB	11:02
			IDM_IDD	11.02
		(packet\$1 datagram)) and channel\$1)) and		
_	50004	(address)	LICDAT.	2003/12/10
7	52994	(node\$1 domain\$1 workstation\$1 computer\$1	USPAT;	10:04
		server\$1) NEAR3 (id identification number	IBM_TDB	10:04
		identity serial)	LIODATE:	0003/10/10
8	55	((((decrypt\$3 decod\$3 decipher\$4) NEAR4	USPAT;	2003/12/10
		(packet\$1 datagram)) and ((socket\$1 and	IBM_TDB	10:04
		(packet\$1 datagram)) and channel\$1)) and		
		(address)) and ((node\$1 domain\$1 workstation\$1		
		computer\$1 server\$1) NEAR3 (id identification		
		number identity serial))		000041045
9	28	(((((decrypt\$3 decod\$3 decipher\$4) NEAR4	USPAT;	2003/12/10
		(packet\$1 datagram)) and ((socket\$1 and	IBM_TDB	10:52
		(packet\$1 datagram)) and channel\$1)) and		
		(address)) and ((node\$1 domain\$1 workstation\$1		
		computer\$1 server\$1) NEAR3 (id identification		
		number identity serial) )) and virtual		
10	8	(((((decrypt\$3 decod\$3 decipher\$4) NEAR4	USPAT;	2003/12/10
		(packet\$1 datagram)) and ((socket\$1 and	IBM_TDB	11:01
		(packet\$1 datagram)) and channel\$1)) and		
		(address)) and ((node\$1 domain\$1 workstation\$1		
		computer\$1 server\$1) NEAR3 (id identification		
		number identity serial) )) and (vpn (virtual near		
		private near network\$1))		
11	18	((((((decrypt\$3 decod\$3 decipher\$4) NEAR4	USPAT;	2003/12/10
		(packet\$1 datagram)) and ((socket\$1 and	IBM_TDB	12:22
		(packet\$1 datagram)) and channel\$1)) and		
		(address)) and ((node\$1 domain\$1 workstation\$1		
		computer\$1 server\$1) NEAR3 (id identification		
		number identity serial) )) and virtual) and		
		(username (user near name) (user near id) (user		
		near identification) (user near identity))		
13	168	(socket\$1 and (packet\$1 datagram)) and (vpn	USPAT;	2003/12/10
		(virtual near private near network\$1))	IBM_TDB	11:01
14	123	((socket\$1 and (packet\$1 datagram)) and (vpn	USPAT;	2003/12/10
		(virtual near private near network\$1))) and	IBM_TDB	11:02
		(channel\$1 (communication near link\$1))		
15	96	(((socket\$1 and (packet\$1 datagram)) and (vpn	USPAT;	2003/12/10
ļ		(virtual near private near network\$1))) and	IBM_TDB	11:02
		(channel\$1 (communication near link\$1))) and		
		((node\$1 domain\$1 workstation\$1 computer\$1		
		server\$1) NEAR3 (id identification number		
		identity serial))	}	
16	96	((((socket\$1 and (packet\$1 datagram)) and (vpn	USPAT;	2003/12/10
		(virtual near private near network\$1))) and	IBM_TDB	11:47
		(channel\$1 (communication near link\$1))) and		
			ŀ	1
		l ((node\$1 domain\$1 workstation\$1 computer\$1		
		((node\$1 domain\$1 workstation\$1 computer\$1 server\$1) NEAR3 (id identification number		

	91			
17	91	(decrypt\$3 decod\$3 decipher\$4) and (((((socket\$1 and (packet\$1 datagram)) and (vpn (virtual near	USPAT; IBM_TDB	2003/12/10 11:47
		private near network\$1))) and (channel\$1		
		(communication near link\$1))) and ((node\$1		
		domain\$1 workstation\$1 computer\$1 server\$1)		
		NEAR3 (id identification number identity serial) ))		
	700	and (address))	USPAT;	2003/12/10
19	700	(sender\$1) near3 (authenticat\$3 validat\$3	IBM_TDB	11:05
	0.1	authoriz\$4 authoris\$4 verif\$7) ((decrypt\$3 decod\$3 decipher\$4) and (((((socket\$1	USPAT;	2003/12/10
20	91	and (packet\$1 datagram)) and (vpn (virtual near	IBM_TDB	12:21
		private near network\$1))) and (channel\$1		12.21
		(communication near link\$1))) and ((node\$1		
		domain\$1 workstation\$1 computer\$1 server\$1)		
		NEAR3 (id identification number identity serial) ))		
		and (address))) and (authenticat\$3 validat\$3		
		authoriz\$4 authoris\$4 verif\$7)		
21	6	((sender\$1) near3 (authenticat\$3 validat\$3	USPAT;	2003/12/10
~		authoriz\$4 authoris\$4 verif\$7)) and (((decrypt\$3	IBM_TDB	11:06
		decod\$3 decipher\$4) and (((((socket\$1 and		·
		(packet\$1 datagram)) and (vpn (virtual near private		
		near network\$1))) and (channel\$1 (communication		
		near link\$1))) and ((node\$1 domain\$1		
		workstation\$1 computer\$1 server\$1) NEAR3 (id		
		identification number identity serial) )) and		
		(address))) and (authenticat\$3 validat\$3		
		authoriz\$4 authoris\$4 verif\$7))		
22	85	(((decrypt\$3 decod\$3 decipher\$4) and (((((socket\$1	USPAT;	2003/12/10
		and (packet\$1 datagram)) and (vpn (virtual near	IBM_TDB	11:22
ĺ		private near network\$1))) and (channel\$1		!
		(communication near link\$1))) and ((node\$1		
		domain\$1 workstation\$1 computer\$1 server\$1)		
		NEAR3 (id identification number identity serial) ))		
		and (address))) and (authenticat\$3 validat\$3		
		authoriz\$4 authoris\$4 verif\$7)) not (((sender\$1)		
		near3 (authenticat\$3 validat\$3 authoriz\$4		
]		authoris\$4 verif\$7)) and (((decrypt\$3 decod\$3		
		decipher\$4) and (((((socket\$1 and (packet\$1		
		datagram)) and (vpn (virtual near private near		
		network\$1))) and (channel\$1 (communication near link\$1))) and ((node\$1 domain\$1 workstation\$1		
		computer\$1 server\$1) NEAR3 (id identification		
		number identity serial) )) and (address))) and		
		(authenticat\$3 validat\$3 authoriz\$4 authoris\$4		
		verif\$7)))		
23	18155	(shar\$3 near3 (storage\$2 rom ram memory))	USPAT;	2003/12/10
		(shared-memory)	IBM_TDB	12:19

24	37	((((decrypt\$3 decod\$3 decipher\$4) and (((((socket\$1	USPAT;	2003/12/10
		and (packet\$1 datagram)) and (vpn (virtual near	IBM_TDB	11:22
		private near network\$1))) and (channel\$1		
		(communication near link\$1))) and ((node\$1		
		domain\$1 workstation\$1 computer\$1 server\$1)		
		NEAR3 (id identification number identity serial) ))		
		and (address))) and (authenticat\$3 validat\$3		
		authoriz\$4 authoris\$4 verif\$7)) not (((sender\$1)		
		near3 (authenticat\$3 validat\$3 authoriz\$4		
		authoris\$4 verif\$7)) and (((decrypt\$3 decod\$3		
		decipher\$4) and (((((socket\$1 and (packet\$1		
		datagram)) and (vpn (virtual near private near		
		network\$1))) and (channel\$1 (communication near		;
		link\$1))) and ((node\$1 domain\$1 workstation\$1		
		computer\$1 server\$1) NEAR3 (id identification		
		number identity serial) )) and (address))) and		
		(authenticat\$3 validat\$3 authoriz\$4 authoris\$4		
		verif\$7))) and ((shar\$3 near3 (storage\$2 rom ram		
		memory)) (shared-memory))		
	1	memory) (snared-memory))	USPAT;	2003/12/10
27	1		IBM_TDB	11:48
00	124	anovmes nears child	USPAT;	2003/12/10
28	134	spawn\$3 near3 child	IBM_TDB	12:05
		(/-l#2 (stanage#0 nom rom momori)	USPAT;	2003/12/10
29	54	((shar\$3 near3 (storage\$2 rom ram memory)) (shared-memory)) and (spawn\$3 near3 child)	IBM_TDB	11:46
۵,	, , ,		USPAT;	2003/12/10
31	15	(((shar\$3 near3 (storage\$2 rom ram memory))	IBM_TDB	12:06
		(shared-memory)) and (spawn\$3 near3 child)) and	IDM_IDD	12.00
		socket\$1	USPAT;	2003/12/10
32	4	(decrypt\$3 decod\$3 decipher\$4) and ((((shar\$3		12:06
		near3 (storage\$2 rom ram memory))	IBM_TDB	12.00
		(shared-memory)) and (spawn\$3 near3 child)) and		
		socket\$1)	LIODAM	0000/10/10
33	3	((decrypt\$3 decod\$3 decipher\$4) and ((((shar\$3	USPAT;	2003/12/10
		near3 (storage\$2 rom ram memory))	IBM_TDB	12:06
		(shared-memory)) and (spawn\$3 near3 child)) and		
	_	socket\$1)) and (address)	I I CDA (D	0000/10/10
34	2	(((decrypt\$3 decod\$3 decipher\$4) and ((((shar\$3	USPAT;	2003/12/10
		near3 (storage\$2 rom ram memory))	IBM_TDB	12:02
		(shared-memory)) and (spawn\$3 near3 child)) and		
		socket\$1)) and (address)) and channel\$1		
35	3	(((decrypt\$3 decod\$3 decipher\$4) and ((((shar\$3	USPAT;	2003/12/10
		near3 (storage\$2 rom ram memory))	IBM_TDB	12:06
		(shared-memory)) and (spawn\$3 near3 child)) and		
1		socket\$1)) and (address)) and (channel\$1 link\$1)		0000/10/10
36	458	spawn\$3 and ((shar\$3 near3 (storage\$2 rom ram	USPAT;	2003/12/10
		memory)) (shared-memory))	IBM_TDB	12:17
37	131	(spawn\$3 and ((shar\$3 near3 (storage\$2 rom ram	USPAT;	2003/12/10
		memory)) (shared-memory))) and socket\$1	IBM_TDB	12:06
38	12	((((shar\$3 near3 (storage\$2 rom ram memory))	USPAT;	2003/12/10
		(shared-memory)) and (spawn\$3 near3 child)) and	IBM_TDB	12:18
		socket\$1) and (channel\$1 link\$1)		
40	3	(decrypt\$3 decod\$3 decipher\$4) and (((((shar\$3	USPAT;	2003/12/10
		near3 (storage\$2 rom ram memory))	IBM_TDB	12:19
		(shared-memory)) and (spawn\$3 near3 child)) and		
		socket\$1) and (channel\$1 link\$1)) and (address))		
39	10	(((((shar\$3 near3 (storage\$2 rom ram memory))	USPAT;	2003/12/10
		(shared-memory)) and (spawn\$3 near3 child)) and	IBM_TDB	12:19
		socket\$1) and (channel\$1 link\$1)) and (address)		
42	430	spawn\$3 and socket\$1	USPAT;	2003/12/10
			IBM_TDB	12:18
43	355	(spawn\$3 and socket\$1) and (channel\$1 link\$1)	USPAT;	2003/12/10
			IBM_TDB	12:22

• •				
44	282	((spawn\$3 and socket\$1) and (channel\$1 link\$1))	USPAT;	2003/12/10
		and (address)	IBM_TDB	12:19
45	143	(decrypt\$3 decod\$3 decipher\$4) and (((spawn\$3	USPAT;	2003/12/10
		and socket\$1) and (channel\$1 link\$1)) and	IBM_TDB	12:19
		(address))		
46	136	((decrypt\$3 decod\$3 decipher\$4) and (((spawn\$3	USPAT;	2003/12/10
		and socket\$1) and (channel\$1 link\$1)) and	IBM_TDB	12:20
		(address))) and shar\$4		
47	129	(((decrypt\$3 decod\$3 decipher\$4) and (((spawn\$3	USPAT;	2003/12/10
		and socket\$1) and (channel\$1 link\$1)) and	IBM_TDB	12:21
		(address))) and shar\$4) and (authenticat\$3		
		validat\$3 authoriz\$4 authoris\$4 verif\$7)		
48	100	((((decrypt\$3 decod\$3 decipher\$4) and (((spawn\$3	USPAT;	2003/12/10
		and socket\$1) and (channel\$1 link\$1)) and	IBM_TDB	12:21
		(address))) and shar\$4) and (authenticat\$3		
		validat\$3 authoriz\$4 authoris\$4 verif\$7)) and		
		(packet\$1 datagram)		
49	74	1 ((((	USPAT;	2003/12/10
		and socket\$1) and (channel\$1 link\$1)) and	IBM_TDB	12:22
		(address))) and shar\$4) and (authenticat\$3		
		validat\$3 authoriz\$4 authoris\$4 verif\$7)) and		
		(packet\$1 datagram)) and (username (user near		
		name) (user near id) (user near identification) (user		
	_	near identity))	**************************************	0000/10/10
50	5	1 (1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	USPAT;	2003/12/10
		authoriz\$4 authoris\$4 verif\$7)) and (((((decrypt\$3	IBM_TDB	12:22
		decod\$3 decipher\$4) and (((spawn\$3 and		
		socket\$1) and (channel\$1 link\$1)) and (address)))		
ļ		and shar\$4) and (authenticat\$3 validat\$3		
ļ		authoriz\$4 authoris\$4 verif\$7)) and (packet\$1		
<b>"</b> ,		datagram))	LIODAT.	0002/10/10
51	3	(("6606708") or ("6600733") or ("6079020")).PN.	USPAT;	2003/12/10
			IBM_TDB	12:39